

B E D W E L L Y



URBAN DISTRICT COUNCIL

The Annual Reports of the

Medical Officer of Health

&

Chief Public Health Inspector

Year ended 31st December, 1968



B E D W E L L Y



URBAN DISTRICT COUNCIL

The Annual Reports of the

Medical Officer of Health

&

Chief Public Health Inspector

Year ended 31st December, 1968

Digitized by the Internet Archive
in 2016 with funding from
Wellcome Library

<https://archive.org/details/b28827776>

BEDWELLY URBAN DISTRICT COUNCIL

1968 - 1969

Chairman - Councillor P. G. Bullen, D.F.C., J.P.

Vice-Chairman - Councillor J. Salway

MEMBERS

Councillor R. R. Bryant, M.M.

" E. J. Butler,

" W. D. G. Cole

" D. Davies

" Mrs. E. Davies

" G. A. Davies

" F. E. Evans

" G. C. Garrett, C.Eng., A.M.I.Min.E.

" Mrs. A. H. Hardacre

" G. H. Hawker

Councillor G. O. Higgins

" E. G. Hodges

" Mrs. R. James

" M. E. E. Lloyd

" K. Meade

" G. C. Nelmes

" W. E. Park, B.A.

" Mrs. M. R. Powell

" G. H. Thomas

" J. D. Turner

Councillor D. G. Werrett

HOUSING AND PUBLIC HEALTH COMMITTEE

Chairman - Councillor W. D. G. Cole

Vice-Chairman - Councillor J. Salway

Councillor R. R. Bryant, M.M.

" D. Davies

" Mrs. E. Davies

" F. E. Evans

" G. C. Garrett, C.Eng., A.M.I.Min.E.

" G. O. Higgins

Councillor E. G. Hodges

" M. E. E. Lloyd

" K. Meade

" G. C. Nelmes

" G. H. Thomas

" J. D. Turner

PUBLIC HEALTH DEPARTMENT STAFF

Medical Officer of Health	Dr. A. Trenhaile, L.M.S.S.A. (London), D.P.H.
Chief Public Health Inspector	A. M. Coleman, F.A.P.H.I., M.R.S.H., (Qualified Meat and Food Inspector)
Deputy Chief Public Health Inspector	E. J. Francis, M.A.P.H.I., (Qualified Meat and Food Inspector)
Public Health and Shops Inspector	G. H. Gane, M.A.P.H.I., (Qualified Meat and Food Inspector)
Student Public Health Inspector	D. R. Watson
Rodent Operators and part-time Mortuary and Post Mortem Attendants	C. O. Shelton and G. Hart
Shorthand Typist/Clerk	Miss C. A. Thomas

SUMMARY OF STATISTICS FOR 1968

Area of District in Acres	7,353
Population (Census 1951)	28,826
(Census 1961)	27,336
Estimated population for birth and death rates 1968	26,070
Number of inhabited houses as at 31st December, 1968	8,030
Number of persons per house	3.2
Rateable value as at 31st March, 1968	£581,163
Product of penny rate 1967/68	£2,237
Number of births	483
Net birth rate	18.5
Number of illegitimate births	38
Number of deaths of residents	349
Net death rate	13.4
Number of deaths under one year	18
Of these, there were illegitimate	1
Infantile mortality, per 1,000 births	37.0
Number of women dying from childbirth	NIL
Number of deaths from all forms of bronchitis	35
Number of deaths from all forms of pneumonia	13
Number of deaths from all forms of circulatory diseases	184
Number of deaths from all forms of cancer	45

Public Health Department,
Municipal Offices,
Aberbargoed,
Bargoed,
Glam.
CF8 9UB.

1st September, 1969.

To the Chairman and Members of the
Bedwellty Urban District Council.

Mr. Chairman, Ladies and Gentlemen,

It is my duty to present to you my Annual Report for the year 1968 dealing with the sanitary circumstances, sanitary administration and vital statistics of the district.

The report is presented in accordance with the Public Health Officers Regulations 1959 and on the lines indicated by Circular 1/69 (Wales) of the Welsh Board of Health.

Physical Features

The Bedwellty Urban District, which covers an area of 7,353 acres, is situated in the north west of Monmouthshire and occupies a hill ridge and parts of two valleys. The greatest length from north to south is six and a half miles and its maximum width from east to west is two and a half miles. It is bounded by the Rhymney River in the west and to the east by the Sirhowy River.

The altitude varies from 1,499 feet above sea level at Cefn Manmoel on the north east boundary to 400 feet above sea level on the southern boundary at Victoria Road, Fleur-de-lis. The altitude at the Municipal Offices is 718 feet above sea level.

General Statistics and Social Conditions

The Registrar General's estimate of the population at mid-July was 26,070. The census figure for 1961 was 27,336.

The National Coal Board is still the largest employer of labour, although only three mines remain in production and these do not necessarily employ men exclusively from the Bedwellty District. Many workmen are employed in collieries and factories outside the area.

A new factory at Aberbargoed is engaged in the manufacture of plastic syringes and employs 249 (56 males, 193 females). It is hoped that further industry can be persuaded to come to the area.

Estimated Population (mid-1969) of Adjacent Urban Districts

Abercarn U.D.	18,650	Gelligaer U.D.	34,640
Abertillery U.D.	22,950	Mynyddislwyn U.D.	15,710
Bedwas & Machen U.D.	11,940	Rhymney U.D.	8,720
Tredegar U.D.	19,070		

VITAL STATISTICS - 1968

MOTHERS AND INFANTS

LIVE BIRTHS

Number of births registered during the year ... 483

	<u>Males</u>	<u>Females</u>
Legitimate	225	220
Illegitimate	<u>22</u>	<u>16</u>
	<u>247</u>	<u>236</u>

Live birth rate per 1,000 population, crude ... 18.5

Illegitimate live births (percent of total live births) ... 7.9

STILLBIRTHS

Number of births registered during the year ... 4

Stillbirth rate per 1,000 total live and stillbirths ... 8.0

TOTAL LIVE AND STILLBIRTHS ... 487

INFANT DEATHS (deaths under one year)

Deaths of Infants	Males			Females		
	Total	Leg.	Illeg.	Total	Leg.	Illeg.
Under 1 year of age	11	10	1	7	7	-
Under 4 weeks of age	9	8	1	6	6	-
Under 1 week of age	8	7	1	4	4	-

TOTAL NUMBER OF DEATHS UNDER ONE YEAR ... 18

INFANT MORTALITY RATES

Total infant deaths per 1,000 total live births	37.0
Legitimate infant deaths per 1,000 legitimate live births			38.0
Illegitimate infant deaths per 1,000 illegitimate live births			26.0

NEO-NATAL MORTALITY RATE (deaths under four weeks per 1,000 live births) 31.0

EARLY NEO-NATAL MORTALITY RATE (deaths under one week per 1,000 live births) 25.0

PERI-NATAL MORTALITY RATE (stillbirths and deaths under one week combined per 1,000 total live and stillbirths) 33.0

Comparative Rates - 1968

	Bedwellty U.D.	Administrative County of Monmouth	England and Wales
Infant mortality rate	37.0	18.7	18.0
Peri-natal mortality rate	33.0	29.0	25.0

Causes of Death of Infants Under One Year

Cause of Death	Number
Enteritis	1
Pneumonia	1
Congenital anomalies	5
Other causes of Peri-natal Mortality	8
Meningitis	1
Birth-injury and difficult labour	2

MATERNAL MORTALITY

Number of deaths NIL

DEATHS 1968

Number of deaths during year 349

Death rate per 1,000 of population after correction of inward and outward transfers 13.4

Death rate for the previous years compared:-

1961	1962	1963	1964	1965	1966	1967	1968
11.7	11.1	11.9	10.5	9.9	12.1	10.1	13.4

The local death rate is comparable with that for England and Wales if the local rate is multiplied by the Registrar General's comparability factor of 1.29.

Comparative Death Rates (Adjusted) 1968

Bedwellty U.D.	Administrative County of Monmouth	England and Wales
17.5	13.9	11.9

66% of persons who died during the year had attained the age of 65 years and over 34% were 75 years and over.

CAUSES OF DEATH 1968

CAUSE	MALES	FEMALES
Enteritis and Other Diarrhoeal Diseases	-	1
Tuberculosis of Respiratory System	1	-
Cancer (Stomach)	3	3
Cancer (Lung, Bronchus)	7	1
Cancer (Breast)	-	3
Cancer (Uterus)	-	1
Cancer (Other Sites)	14	13
Diabetes Mellitus	1	3
Meningitis	1	-
Other Diseases of Nervous System, etc.	-	1
Chronic Rheumatic Heart Disease	2	4
Hypertensive Disease	2	6
Ischaemic Heart Disease	50	46
Other Forms of Heart Disease	13	9
Cerebrovascular Disease	22	16
Other Diseases of Circulatory System	8	6
Pneumonia	8	5
Bronchitis and Emphysema	26	9
Other Diseases of Respiratory System	15	1
Appendicitis	-	1
Intestinal Obstruction and Hernia	1	1
Other Diseases of Digestive System	1	3
Nephritis and Nephrosis	1	-
Hyperplasia of Prostate	1	-
Other Diseases, Genito-Urinary System	1	2
Other Complications of Pregnancy, etc.	-	1
Diseases of Skin, Subcutaneous Tissue	-	1
Diseases of Musculo-Skeletal System	-	3
Congenital Anomalies	4	2
Birth Injury, Difficult Labour, etc.	1	1
Other Causes of Peri-natal Mortality	5	3
Symptoms and Ill-defined Conditions.	1	-
Motor Vehicle Accidents	1	1
All Other Accidents	3	7
Suicide and Self-inflicted Injuries	2	-
TOTALS	195	154

Heart and circulatory diseases accounted for 52 per cent. of all deaths, cancer for about 13 per cent. and respiratory diseases for 21 per cent.

DEATHS FROM INFECTIOUS DISEASES

During the year there were no deaths from any notifiable disease, except from Tuberculosis.

NOTIFICATION OF INFECTIOUS DISEASES IN REGISTRATION WARDS

Ward	Notifiable Disease	
	Whooping Cough	Measles
New Tredegar	-	4
Aberbargoed	3	14
Pengam	-	7
Cefn Fforest	-	6
Blackwood	1	7
Argoed	-	1
Markham	-	-
Hollybush	-	-

DISTRIBUTION OF CASES OF PULMONARY TUBERCULOSIS
ACCORDING TO AGE GROUPS IN THE PAST 12 YEARS

YEAR	AGE GROUP		
	1 - 5 Yrs	6 - 15 Yrs	16 & over
1957	2	4	20
1958	1	5	19
1959	3	1	10
1960	4	1	23
1961	2	1	8
1962	-	-	5
1963	2	1	11
1964	1	-	7
1965	-	1	6
1966	1	-	7
1967	-	-	4
1968	-	-	6

COMPARISON OF NOTIFICATIONS AND DEATHS FROM PULMONARY
TUBERCULOSIS DURING THE LAST TEN YEARS

Year	Formal Notifications	Deaths
1959	14	10
1960	28	3
1961	12	2
1962	5	3
1963	13	1
1964	8	3
1965	7	Nil
1966	8	1
1967	4	3
1968	6	1

TUBERCULOSIS - NEW CASES

The following table shows the new cases of tuberculosis during 1968.

Age Period in years	Pulmonary			Non-Pulmonary		
	M	F	Total	M	F	Total
0 - 5	-	-	-	-	-	-
6 - 14	-	-	-	-	-	-
15 - 24	-	-	-	1	-	1
25 - 44	1	-	1	-	-	-
45 - 64	2	1	3	-	-	-
65 and over	1	-	1	-	-	-

CHEST RADIOLOGY

No chest radiological facilities are available in the district.

There was no general population mass radiography survey undertaken in the district during the year as it is considered that such X-ray units can be more usefully employed in factories or works where the response is so much better. than if the service is offered to the public at large.

Two surveys were, however, carried out at local factories.

Details of Mass Radiography Surveys carried out at:-

1. N. Corah Ltd., Aberbargoed

	Total	M	F
Total number examined	257	19	238
Total found to be abnormal cases	12	1	11
Referred to Chest Physician as cases requiring further investigation	7	-	7

2. South Wales Switchgear, Aberbargoed

	Total	M	F
Total number examined	57	47	10
Total found to be abnormal cases	3	3	-
Referred to Chest Physician as cases requiring further investigation	2	2	-

WATER SUPPLIES

On a number of occasions complaints were made to the Engineer of the Taf Fechan Water Board regarding the quality of the water supplies to New Tredegar and Aberbargoed, which was often discoloured, particularly following heavy rainfall. Apparently, under these conditions, clay in suspension from the Rhymney Bridge Reservoirs, which are too small, causes gross discolouration and overloading of the filters. Arrangements were made to by-pass these reservoirs if they become empty or grossly discoloured and also for the construction of a new treatment works.

The distribution mains in the above areas are old, corroded, and full of sediment and an annual programme of scraping and relining is to be instituted in 1969 and also relaying where necessary.

Chemical Analysis of water samples in both the Rhymney and Sirhowy Valleys showed very little or no plumbo-solvency and negligible fluoride content.

RAINFALL DURING 1968

The following information on rainfall figures was recorded at Bloomfield Road, Blackwood, and kindly supplied by the Engineer and Surveyor, Mr. T. I. Thomas.

Monthly rainfall for 1968

January	5.23	inches
February	2.25	"
March	4.92	"
April	3.96	"
May	3.72	"
June	5.00	"
July	6.61	"
August	2.29	"
September	8.52	"
October	7.36	"
November	4.78	"
December	5.38	"

Total rainfall for 1968 = 60.02 inches.

I wish to express my appreciation to the staff of the Public Health Department who have carried out their work with their usual efficiency and also to thank members of the council and officers and staff of other departments for their co-operation.

Yours faithfully,

A. TRENHAILE

Medical Officer of Health.

Telephone: Bargoed 2361/7

Public Health Department,
Municipal Offices,
Aberbargoed,
Bargoed,
Glam.
CF8 9UB.

1st September, 1969.

To the Chairman and Members of the
Bedwellty Urban District Council.

Mr. Chairman, Ladies and Gentlemen,

I beg to submit my Annual Report on the work done in the Public Health Department during 1968.

.....

HOUSING

A. Repair of privately owned houses

Over 200 complaints were received during the year from tenants of privately owned houses calling the attention of the department to defects of repair. In all cases visits were made and, where necessary, notices were served on owners when informal action did not effect the work.

Number of houses repaired as a result of informal action	50
--	-----	-----	----

Number of houses repaired as a result of formal action of service of abatement notice under the Public Health Act 1936	64
--	-----	-----	----

B. Slum Clearance

Slum clearance proceeded and the five-year programme was nearly completed. Clearance area action was carried out at Park View, Fleur-de-lis, (six houses) and at Upper Road, Cwmsyfiog, (seven houses).

A number of individually unfit houses were dealt with:-

36 High Street, Fleur-de-lis;
13 Ivor Street, Fleur-de-lis;
7 and 8 Gellihaf Road, Fleur-de-lis;
19 and 20 Plas Road, Fleur-de-lis;
1 and 2 Mount Pleasant, Fleur-de-lis;
4 Berllangron, Blackwood;
33 High Street, Argoed.

C. Improvement of Houses

The steady flow of applications for grants has been maintained during the year. In nearly all cases the standard grant was applicable.

Number of applications received during the past five years:-

	1964	1965	1966	1967	1968
Standard Grants	79	62	22	46	51
Discretionary Grants	56	105	7	3	3
Totals	135	167	29	49	54

The details of the standard grants for 1968 were:-

Number of applications received:	51
Number of applications approved:	34
Number of applications paid:	26
Provision of baths:	18
Provision of wash-hand basins:	24
Provision of hot water supplies:	25
Provision of internal W.C.s:	25
Provision of foodstores:	15

Total number of houses improved by the above installations: 26
Grants amounted to £4,531. 18. 1d.

COUNCIL HOUSES

Routine inspection of council houses is being carried out but the emphasis of inspection is placed on visiting tenants who are not up to an average standard of cleanliness. This procedure is having an effect in the long term in improving conditions and, except for a few cases, the standard maintained by tenants is satisfactory.

Mr. A. S. Daynes, Housing Manager, informs me that at 31st December, 1968, there were 230 applications for council house tenancy from families living in apartments. There was a casual vacancy of 45 houses and transfer of tenancy of 90 houses.

Conditions of occupancy of 148 prospective tenants were investigated by the department.

PET ANIMALS ACT 1951

One shop is licensed for the sale of pets.

WATER SUPPLIES

89 samples of water were taken for bacteriological examination and, in 10 of these, there were low b. coli counts.

Two chemical samples were taken and a further three were examined for plumbo-solvency. All were satisfactory.

A comment is made on discolouration of supplies in a portion of the Rhymney Valley by the Medical Officer of Health.

SEWERAGE AND DRAINAGE

The area is served by two trunk sewers with sea outfall. The village of Manmoel is served by a septic tank and biological filter.

NATIONAL ASSISTANCE ACT 1948, SECTION 50

The above section of the National Assistance Act imposes a duty on the local authority "to cause to be buried or cremated the body of any person who has died or been found dead in their area, in any case where it appears to the authority that no suitable arrangements for the disposal of the body have been or are being made otherwise than by the authority".

For this purpose the council have a contract with Mr. Herbert Jones, Undertaker, Blackwood, (telephone number Blackwood 2365). The contract also includes the removal of the body of a person found dead on the public highway or in any public place.

It was not necessary to proceed under this section during 1968.

HAIRDRESSERS

35 premises are registered in the area. Inspections have been made to ascertain compliance with byelaws which are in operation controlling cleanliness and hygiene.

PUBLIC MORTUARY AND POST MORTEM ROOM

These services are provided by the council and were used on eight occasions. Cleaning and maintenance of the premises is carried out by Mr. G. Hart.

RODENT CONTROL

274 complaints of rat or mice infestation were dealt with by the rodent operator and surveys were made in respect of many of these complaints.

During the protracted illness of the rodent operator, Mr. C. O. Shelton, some difficulty was experienced in engaging temporary help. In December, Mr. Gordon Hart was appointed as a rodent operator and I am indebted to the Ministry of Agriculture, Fisheries and Food for the assistance they provided and especially to Mr. Braithwaite and Mr. Robinson in giving training and practical experience to Mr. Hart after his appointment.

Mr. Cliff Shelton passed away in February, 1969, and here I pay tribute to the conscientious work he had carried out in the important public health function of rodent control under the Bedwellty Council for 15 years. Chronic illness was an obstacle he had to overcome for some time before he finally had to go on sick leave in June, 1968.

Mr. Shelton was also part-time public mortuary attendant for some years and the confidential nature of this work was respected by him on all occasions.

COMMON LODGING HOUSES

There is no common lodging house in this area.

BEDWELLY SWIMMING BATHS

Check sampling has been carried out by the Public Health Department to supplement sampling for chlorine content which is ascertained by the Baths Superintendent, Mr. J. Simpson.

Bacteriological sampling is done at intervals at shallow and deep ends of the baths. Generally, samples have been satisfactory.

Number of samples (a) for chlorine content:	68
(b) for bacteriological examination:	3

NOISE ABATEMENT

Several complaints of noise nuisance were investigated. These complaints arose from spreader tractors on a colliery waste tip, office equipment and pneumatic drills. In each case some abatement was secured. The council decided to include in specifications for building and civil engineering work contracts a clause requiring silencers for compressors and drills. The cost of providing such equipment is comparatively small. Unfortunately, several statutory undertakers are still not paying much attention to noise suppression, although circulars have been issued to this effect.

REFUSE DISPOSAL

Refuse is collected twice weekly and disposal is by tipping at Blackwood, New Tredegar and Aberbargoed.

Where Radburn house planning has been adopted, paper sack collection is in operation for some houses. As new sites develop it is hoped that paper sack collection will increase.

The following vehicles are used for collection:-

2 compression loaders (35 cu.yds.)

1 dual tip vehicle (18 cu.yds.)

and 1 land rover with sliding covers for difficult terrain.

FACTORIES ACT 1961

PART I OF THE ACT

1. INSPECTIONS for purposes of provisions as to health.

Premises	Number on Register	Inspect- ions	Number of Written Notices	Occupiers Prosecuted
(i) Factories in which Sections 1, 2, 3, 4 and 6 are to be enforced by Local Authorities	1	1	-	-
(ii) Factories not included in (1) in which Section 7 is enforced by the Local Authority	28	30	-	-
(iii) Other premises in which Section 7 is enforced by the Local Authority (excluding out-workers' premises)	-	-	-	-
Totals	29	31	-	-

2. Cases in which DEFECTS were found.

Particulars	Found	Remedied	Referred		Number of cases in which prosecutions were instituted
			To H. M. Inspector	By H. M. Inspector	
Want of Cleanliness (S.1.)	-	-	-	-	-
Overcrowding (S.2.)	-	-	-	-	-
Unreasonable Temperature (S.3.)	-	-	-	-	-
Inadequate Ventilation (S.4.)	-	-	-	-	-
Ineffective drainage of floors (S.6.)	-	-	-	-	-
Sanitary Con- veniences (S.7.)					
(a) Insuff- icient	-	-	-	-	-
(b) Unsuitable or Defect- ive	1	1	-	1	-
(c) Not separ- ate for sexes	-	-	-	-	-
Other offences against the Act (not including offences relating to out-work)	-	-	-	-	-
Totals	1	1	0	1	0

PART VIII OF THE ACT

There are no outworkers operating in the area.

A. Registration and General Inspections

Class of Premises	No. of premises registered during the year	Total No. of registered premises at end of year	No. of registered premises receiving a general inspection during the year
Offices	2	50	6
Retail Shops	10	118	83
Wholesale shops, warehouses	-	1	-
Catering establishments opening to the public, canteens	2	11	2
Fuel storage depots	-	-	-
Totals	14	180	91

B. Notices served during 1968

Contravention	No. of Notices
Insufficiency of heating	4
Unsuitability of sanitary accommodation	2
Dangerous machinery	1
Lack of first aid facilities	5

C. Inspections

100% inspection of all registered premises has now been completed and a large number of further visits have been made. There were very few contraventions under the Act and, where they did exist, conditions were rectified.

D. Accidents

Accidents occurring in shops and offices are to be reported by employers to the authority. Investigations are made to ascertain the causes and reports sent to the Department of Employment and Productivity. Five accidents were reported and investigated. In each case there was no fault of structural condition of premises or any dangerous practice incurred.

ATMOSPHERIC POLLUTION

Daily readings are taken at the Municipal Offices, Aberbargoed, and the volumetric apparatus records the smoke concentration and sulphur dioxide content of the air for the previous day. Average temperatures are also taken.

Below is a table of results to nearest whole numbers of average daily concentrations during each month. The measurement units are microgrammes per cubic metre of air.

Month	Smoke Concentration	Sulphur Dioxide Content
January	47	47
February	79	58
March	42	34
April	39	35
May	not available	not available
June	25	34
July	25	24
August	26	27
September	31	30
October	48	36
November	60	62
December	79	72

Comparatively the figures are low and show the pattern decrease that has been evident for some years.

FOOD SUPERVISION

(a) Meat Inspection

There is no abattoir in the area. Assistance is given to the Bedwas and Machen U. D. Council during periods of leave taken by the meat inspector employed at the C.W.S. Abattoir, Fleur-de-lis.

(b) Unsound Food

Approximately 1 ton $7\frac{1}{4}$ cwt. of foodstuffs was surrendered as unfit at various shops and stores. Most of this food was inspected at shops and stores and consisted mainly of canned goods although five cwt. was frozen food which had become unsaleable due to breakdown of refrigeration plant.

(c) Food Poisoning

No case of food poisoning was notified during 1968.

(d) Public Houses and Clubs

Routine inspection of all these premises is carried out at least twice during each year to see that the Food Hygiene (General) Regulations 1960 are being complied with. There are 51 licensed premises.

With a few exceptions, conditions were generally satisfactory last year although some matters were notified to proprietors, in particular:-

- (i) Redecoration of bar, cellar or lounge at 20 premises;
- (ii) Attention to sanitary accommodation at 12 premises;
- (iii) Provision of hot water apparatus in good repair at four premises;
- (iv) Replacement of worn sinks at two premises.

(e) School Canteens

These premises are visited on at least two occasions each year. Conditions are good. Items notified to county authorities are usually attended to forthwith.

(f) Ice Cream

30 samples of ice cream were taken for bacteriological quality. 26 were Grade 1, three were Grade 3 and one was Grade 4. These are very satisfactory results. The four lower grade samples were found to arise from a defect in equipment.

(g) Food and Drugs Act

I am obliged to Mr. R. J. Bullen, Chief Inspector of Weights and Measures, Monmouthshire County Council, for the following report:-

"Samples taken: 46 milk; 51 other foods; 2 ice cream;
4 intoxicating liquor. Total 103

The Public Analyst certified all samples to be genuine."

Yours faithfully,

A. M. COLEMAN

Chief Public Health Inspector.

